



THOMAS J. PASTUSZKA,  
CMC, CCB  
EXECUTIVE OFFICER/CLERK

County of San Diego  
AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
1600 PACIFIC HIGHWAY, ROOM 402, SAN DIEGO, CALIFORNIA 92101-2471

TELEPHONE (619) 531-5777  
FAX (619) 531-6098

STATEMENT OF PROCEEDINGS  
SAN DIEGO COUNTY  
AIR POLLUTION CONTROL DISTRICT HEARING BOARD  
Regular Meeting, Thursday, January 13, 2011

**ADMINISTRATIVE ITEM:**

- A. Approval of Minute Orders of December 9, 2010

**ACTION: APPROVED AS AMENDED**

- B. Selection of Chairperson and Vice Chairperson for 2011

**ACTION: RE-ELECTED APCDHB CHAIR, THOMAS J. RAPPOLT; VICE CHAIR, RUTH V. RODRIGUEZ**

**Petition No.**

- 4334 GENERAL ATOMICS – ELECTRONIC SYSTEMS INC.:** Requests the Regular portion of an Interim / Regular Variance (filed October 25, 2010) from District Rules 67.3(d)(2) and 21 as applied to Condition No. 1 of Permit to Operate No. 860248, pertaining to metal parts coating located at 4949 Greencraig Lane, San Diego, CA 92123. Coating does not comply with VOC standards of Rule.

**ACTION: ITEM WITHDRAWN BY PETITIONER: JANUARY 6, 2011**

- 4336 SCRIPPS XIMED MEDICAL CENTER:** Requests a Regular Variance (filed November 04, 2010) from District Rule 69.4.1(d)(1)(ii) of Permit to Operate No. 970558, APCD2010-APP-001212, involving a stationary compression diesel engine to drive a fire pump, located at 9850 Genesee Avenue, Suite 900, La Jolla, CA 92037.

**ACTION: ITEM CONTINUED TO JANUARY 27, 2011**

- 4339 KYOCERA AMERICA INCORPORATED:** Requests the Regular portion of an Interim / Regular Variance (filed December 8, 2010) from District Rule 1210 (Toxic Air Contaminant public notice and risk reduction), for its facility (including natural gas fired co-generation internal combustion engines) located at 8611 Balboa Avenue, San Diego, CA 92123. Facility is requesting relief from the requirement to notify affected residents of elevated health risk from its facility, as it expects an official source test of its engines will show actual emissions do not trigger public notification thresholds.

**ACTION: GRANTED WITH CONDITIONS AND ADDITION OF EXHIBIT**

**4340 ECOLOGY AUTO PARTS, INC.:** A Permit Appeal pursuant to Rule 25 and Health & Safety Code Section 42302 requesting a review of the permit process condition limiting throughput, removal of condition requiring removal of asbestos-containing components such as brake pads prior to auto shredding, and the issuance of subpoena duces tecum for evidence supporting the District's toxic emission factors, pertaining to Application No. 987329 for a permit to install and operate an auto and scrap metal shredder located at 825 Energy Way, Chula Vista, CA 91913.

**ACTION: ITEM CONTINUED TO JANUARY 27, 2011**

**4341 HEALTH CARE GROUP:** Requests a 90-Day Variance (filed December 23, 2010) from 17 CCR 93115.6(b)(3) and District Rule 21 as applied to Condition 1 of Permit to Operate No. 982902, to allow testing and maintenance of an emergency engine for 30 additional minutes in 2010 (engine has operated 3.7 hours over the 20 hour limit). The engine is located at 1325 Las Villas Way, Escondido, CA 92026.

**ACTION: GRANTED**

**LAST MATTER OF BUSINESS:**

Opportunity for members of the Public to speak to the Board on any subject matter within the Board's jurisdiction but not as an item on today's Agenda.

**ACTION: NO SPEAKERS**

**ASSISTANCE FOR THE DISABLED:**

Agendas and records are available in alternative formats upon request. Contact the Clerk's office at **(619) 531-5777 (voice) or (619) 531-4803 (TTY)**. Assistive Listening Devices (ALDs) are available from the Clerk of the Board in Room 402 prior to the meeting, and are to be returned at the end of the meeting. Individuals requiring sign language interpreters should contact the Americans with Disabilities Coordinator at **(619) 531-5205**, in advance of the meeting so that arrangements may be made. An area in the front of the chamber is designated for individuals requiring the use of wheelchair or other accessible devices.